

[Get a Quote](#)

Overview

Optical Transceiver, eSFP, GE, Single-mode Module (1310nm, 10km, LC)

Quick Specification

Table 1 shows the Quick Specs.

Model	SFP-GE-LX10-C
Part Number	02312UUC
Description	Optical Transceiver, eSFP, GE, Single-mode Module (1310nm, 10km, LC)
Level-1 category	GE eSFP Optical Modules
Module name	SFP-GE-LX10-C
Form factor	eSFP
Application standard	1000BASE-LX10/LH
Connector type	LC
Optical fiber type	SMF
Working case temperature [°C(°F)]	0°C to 70°C (32°F to 158°F)
Transmission rate [bit/s]	1 Gbit/s
Target transmission distance [km]	Single-mode fiber: 10 km
Center wavelength [nm]	1310
Maximum Tx optical power [dBm]	-3.0
Minimum Tx optical power [dBm]	-9.0
Minimum extinction ratio [dB]	9
Rx sensitivity [dBm]	-20.0
Overload power [dBm]	-3.0

Figure 1 shows the appearance.



Get More Information

Do you have any question about the SFP-GE-LX10-C (02312UUC)?

Contact us now via info@hi-network.com.

Specification

SFP-GE-LX10-C Specification	
Basic Information	
Model	SFP-GE-LX10-C
Part Number	02312UUC
Description	Optical Transceiver, eSFP, GE, Single-mode Module (1310nm, 10km, LC)
Level-1 category	GE eSFP Optical Modules
Technical Specifications	
Connector type	LC
Optical fiber type	SMF
Form factor	eSFP
Transmission rate [bit/s]	1 Gbit/s
Target transmission distance [km]	Single-mode fiber: 10 km
Application standard	1000BASE-LX10/LH
Working case temperature [°C(°F)]	0°C to 70°C (32°F to 158°F)
Center wavelength [nm]	1310
Maximum Tx optical power [dBm]	-3.0
Minimum Tx optical power [dBm]	-9.0
Overload power [dBm]	-3.0
Minimum extinction ratio [dB]	9
Rx sensitivity [dBm]	-20.0

Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/people/echo.hinetwork)

WhatsApp Business: +8618057156223