

[Get a Quote](#)

Overview

Optical Transceiver, SFP+, 10G, Multi-mode Module 1310nm, 0.22km, LC, LRM

Quick Specification

Table 1 shows the Quick Specs.

Model	OSXD22N00
Part Number	02310CRM
Description	Optical Transceiver, SFP+, 10G, Multi-mode Module (1310nm, 0.22km, LC, LRM)
Attributes	Hardware
Category	Optical Transceiver
Product Line	Networking
Product Family	Switch
Product Category	Optical Transceiver
Sub Product Family	Campus Switch
Product Series	S9700
EAN	6920702724599
UOM	PCS
Pack Weight(kg)	0.2
Pack Volume(m ³)	0.00032
Pack Dimension (D*W*H mm)	130*72*35
Typic Power(W)	1

Figure 1 shows the appearance.



Get More Information

Do you have any question about the OSXD22N00 (02310CRM)?

Contact us now via info@hi-network.com.

Specification

OSXD22N00 Specification	
Basic Information	
Model	OSXD22N00
Part Number	02310CRM
Description	Optical Transceiver, SFP+, 10G, Multi-mode Module (1310nm, 0.22km, LC, LRM)
Level-1 category	10GE SFP+ Optical Modules
Technical Specifications	
Connector type	LC
Optical fiber type	MMF
Form factor	SFP+
Transmission rate [bit/s]	10 Gbit/s
Target transmission distance [km]	Multimode fiber (with modal bandwidth of 400 MHz*km and diameter of 50 μm): 0.1 km Multimode fiber (with modal bandwidth of 500 MHz*km and diameter of 62.5 μm): 0.22 km Multimode fiber (OM1, OM2, OM3): 0.22 km
Application standard	10GBASE-LRM
Working case temperature [°C(°F)]	0°C to 70°C (32°F to 158°F)
Center wavelength [nm]	1310
Maximum Tx optical power [dBm]	0.5
Minimum Tx optical power [dBm]	-6.5
Overload power [dBm]	1.5
Minimum extinction ratio [dB]	3.5
Rx sensitivity [dBm]	-6.5

Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/people/echo.hinetwork)

WhatsApp Business: +8618057156223