

[Get a Quote](#)

Overview

The Cisco ASR 9000 Route Switch Processor 880 is available in service-edge- optimized and packet-transport- optimized models. The service-edge- optimized version offers a higher amount of memory essential for large-scale comprehensive service deployment. Both versions of the route switch processor support service-optimized as well as transport-optimized line cards. Different line cards can be mixed on the same chassis, providing maximum design flexibility.

Quick Specification

Product Code	A9K-RSP880-TR
Maximum Data Transfer Rate	10 Gbit/s
Expansion Slot Type	SFP+
Connector Type	RJ-45
Number of Total Expansion Slots	4

Product Details:

The Front Panel:



Get more information:

Do you have any question about the A9K-LC-FILR-V2?



Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Product Code	A9K-RSP880-TR
Product Type	Route Switch Processor
Maximum Data Transfer Rate	10 Gbit/s
Ethernet Technology	Gigabit Ethernet 10 Gigabit Ethernet
Media Type Supported	Twisted Pair Optical Fiber
Network Technology	10/100/1000Base-T 10GBase-X
Number of Total Expansion Slots	4
Total Number of Ports	2
Expansion Slot Type	SFP+
Connector Type	RJ-45
Compatibility	Cisco ASR 9000 Series Router
Interfaces / Ports Details	2 x RJ-45 100/1000Base-T LAN 1 x Management





Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/addtocontactlist/echo.hinetwork)

WhatsApp Business: +8618057156223

