

Get a Quote

Overview

The Cisco® Unified IP Conference Phone 8831 enhances people-centric communications, combining superior high-definition (HD) audio performance and 360-degree coverage for all sizes of conference rooms and executive offices. It provides an audiophile sound experience with a full-duplex two-way wideband (G.722) audio hands-free speaker.

The IP Conference Phone 8831 is a simple, scalable solution that meets the challenges of the most diverse rooms. It provides flexible deployment options and expansion by using extension microphones that can be wired or wireless (Digital Equipment Cordless Telephone [DECT]) with a daisy-chain configuration of two units.

The IP Conference Phone 8831 has an industrial design with enhanced ergonomics that puts the user first. It offers a detached control panel so that the display may be easily viewed without having to move the entire unit. It also provides easy view of device mute status from all sides.

Quick Specs

Figure 1 shows the appearance of the CP-8831-EU-K9 base unit and control panel.



Table 1 shows the Quick Spec.

IP Phone Technology	VoIP
Wireless Technology	DECT
Caller ID	Yes
Speakerphone	Yes
Network (RJ-45)	Yes
Number of Network (RJ-45) Ports	1s
PoE (RJ-45) Port	Yes
Form Factor	Desktop
License Details	Unified Communications Manager, User Connect License

Product Details


Figure 2 shows the front panel the CP-8831-EU-K9 Display Control Unit.



Note:

(1)	Phone screen	(5)	Keypad
(2)	Four programmable keys.	(6)	Mute button
(3)	Navigation bar with Select key	(7)	Volume rocker
(4)	Call button		

Figure 3 shows the CP-8831-EU-K9 Sound Base.



Note:

(1)	LED indicator	(3)	LED indicator
(2)	LED indicator	(4)	Mute button

Figure 4 shows the CP-8831-EU-K9 Sound Base back panel.

The Sound Base contains the network and power connection for the phone.



Note:

(1)	Network port	(4)	Wired microphone ports
(2)	Wall power	(5)	Linked Mode daisy chain port
(3)	Mini USB port		

Get More Information

Do you have any question about the CP-8831-EU-K9?

Contact us now via info@hi-network.com.

Specification

CP-8831-EU-K9 Specification	
Conference Phone	
Features:	Echo cancellation
Package Content:	Conference phone console, Conferencing base unit
Dimensions & Weight (Base)	
Depth:	5.08 cm



Height:	15.05 cm
Weight:	1.587 kg
Width:	26.35 cm
Display	
Backlit:	Yes
Diagonal Size:	3.5"
Display Location:	Base
Display Resolution:	396 x 162 pixels
Type:	LCD display - monochrome
General	
Body Material:	ABS plastic
Compatible Platforms:	Cisco Business Edition 3000, Cisco Business Edition 6000
Product Type:	Conference VoIP phone
IP Telephony	
Compatible Software:	Cisco Unified Communications Manager 7.1 or later
IP Address Assignment:	DHCP, static
Main Features:	Multiple VoIP protocol support
Network Features:	Class 3 PoE, Lightweight Directory Access Protocol (LDAP)
Network Ports Qty:	1 x Ethernet 10/100Base-TX
Network Protocols:	TFTP, SRTP
Power Over Ethernet (PoE) Support:	Yes
Quality of Service:	IEEE 802.1Q (VLAN), IEEE 802.1p
Security:	128-bit AES, IEEE 802.1X
VoIP:	Yes
VoIP Protocols:	SIP, SRTP
Voice Codecs:	G.711, G.722, G.729a, G.729ab, iLBC
Voice Features:	Comfort noise generation (CNG), voice activity detection (VAD), automatic gain control (AGC)
Miscellaneous	
Pricing Type:	Refurbished
Phone Features	
Additional Functions:	Call timer, built-in clock
Call Services:	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold, Message Waiting Capability
Conference Call Capability:	Yes
Dialer Location:	Base
Programmable Buttons Qty:	4
Speakerphone:	Yes



Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223